

## THAI SWITCHBOARD AND METAL WORK CO., LTD.



INNOVATIVE TECHNOLOGY
SUPERIOR QUALITY
COMPETITIVE PRODUCT PRICE



WWW.TAMCO.CO.TH



#### MODULAR FREE-STANDING ENCLOSURE




### What is ME Series?


Modular Free-standing Enclosure Series (also called ME Series) is a knock-down main distribution board with flexible solutions. The protection category of this enclosure is IP55, which is suitable for both indoor and outdoor uses.

## ตู้ตั้งพื้นอเนกประ**ส**งค์

เป็นตู้จ่ายกระแสไฟฟ้าแบบน็อคดาวน์ที่ออกแบบมาเพื่อตอบโจทย์ความต้องการที่ หลากหลายของลูกค้า สามารถกันฝุ่นและละอองน้ำได้ในระดับ IP55 ซึ่งสามารถใช้ ติดตั้งได้ทั้งภายในอาคารและภายนอกอาคาร








## Aluminium-Zinc Steel as Mounting Plate

- Aluminium-zinc steel with its mixture of Aluminium, Zinc and Silicon, it gives superior long term corrosion resistance.
- Ease of electrical components installation.



## **Strong Structure - Double Bend Rolling Frame**

 By using roll forming method, it strengthens the enclosure frame to be able to support the heavyweight of the busbar and electrical components.




## **Innovative Technology**



### **Electro-Galvanized Steel**

- Provides higher corrosion resistance and higher performance.
- Long life the life expectancy of electro-galvanized steel is around 20-30 years.




## **Flexibility**

With modular free-standing design,
 ME Series gives the flexibility to
 adjust and add accessories as per
 customer's requirements.









## **Specification**

Material	Steel Sheet	Electro-Galvanized Steel (EG)  Aluminium-Zinc Coated Steel (Aluzin					=
Thickness (mm.)	Enclosure Frame (folded profile)	Rear and Side Cover	Door	Base Plinth  Corner   Side Plate		Mounting Plate	Bottom Plate
	1.5	1.5	2.0	3.0	2.0	2.0	1.5
Finished Surface	F	UV Pr	oowder or rotection RAL 703	•	h	Aluminiu Coated (Aluz	Steel
Protection Rating	IP55						
On Request (Option)		Special sizes/ Special color/ Pre-punching					


## **Supply includes**

- 1. Door with PU gasket seal
- 2. Door mounting profile
- 3. Door lock
- 4. Mounting plate (Aluzinc plate)
- 5. Bottom plates
- 6. Base/Plinth
- 7. Mounting plate brackets
- 8. Side covers with PU gasket seal
- 9. Depth support profiles
- 10. Width support profiles
- 11. Rear cover with PU gasket seal
- 12. Lifting angle
- 13. Top cover










## **Single Door**

รุ่น Model	ขนาดตู้ Enclosure Dimension (mm.)			เพลทยึด Mountii (Aluzino	ng Plate	น้ำหนักตู้ Approx. Weight (Kg.)	ราคาต่อหน่วย Unit Price (Baht)
	Width (W)	Height (H)	Depth (D)	Dimensio W1	on (mm.) H1		
ME06.21.04	600	2100	400	495	1906	130	29,000.00
ME06.21.06	600	2100	600	495	1906	150	35,000.00
ME08.21.06	800	2100	600	695	1906	170	37,000.00
ME08.21.08	800	2100	800	695	1906	190	40,000.00






## **Double Door**


รุ่น Model	Enc	ขนาดตู้ Enclosure Dimension (mm.)			อุปกรณ์ ng Plate c Plate)	น้ำหนักตู้ Approx. Weight (Kg.)	ราคาต่อหน่วย Unit Price (Baht)
	Width (W)	Height (H)	Depth (D)	Dimensio W1	on (mm.) H1		
ME12.21.04	1200	2100	400	1090	1906	240	50,000.00
ME12.21.06	1200	2100	600	1090	1906	260	55,000.00
ME12.21.08	1200	2100	800	1090	1906	280	60,000.00





## **Enclosure extension.**

- Enclosure frame
- Door
- Removable side cover, rear cover, and top cover



## Add-on base to suit customer's requirement.


- H = 100 mm.
- H = 200 mm.







Section A-A



			Enclosure frame type 1	Enclosure frame type 2	Enclosure frame type 3
Width	Height	Depth	Single door	Partial door	Double door
(W)	(H)	(D)	Model No.	Model No.	Model No.
600	2000	400	MF-062004	MF-P-062004	-
600	2000	600	MF-062006	MF-P-062006	-
800	2000	600	MF-082006	MF-P-082006	-
800	2000	800	MF-082008	MF-P-082008	-
1200	2000	400	-	-	MF-122004
1200	2000	600	-	-	MF-122006
1200	2000	800	-	-	MF-122008

### Specification

#### Material:

- Enclosure frame: Steel sheet,
  1.5mm., folded profile
- Depth support: Aluminium zinc coated steel sheet, 2.0mm.
- Width support at rear: Aluminium zinc coated steel sheet, 1.5mm.
- Bottom plate : Aluminium zinc coated steel sheet, 1.5mm.

#### Finished surface:


- Enclosure frame: Polyester powder coated in RAL7035
- Depth support: Aluminium zinc coated steel
- Width support at rear: Aluminium zinc coated steel
   Bottom plate: Aluminium zinc coated steel


#### Supply includes:


- 1 Set of enclosure frame
- 2 pc(s) of depth support profile
- 2 pc(s) of width support profile
- 4 pc(s) of bottom plate
- Assembly parts


#### Technical details:


– Profile















Base /	Plinth	I	Mounti	ng Plate	:	Side Cover Rear Cove		Cover			
100 mm height	200 mm height	Full size for frame type 1	fe	rtial or type 2	Full size for frame type 3	Full size	Ventilation holes	Full	size	Ventil hol	
Mode	el No.		Mode	el No.		Mode	el No.		Mod	el No.	
B100-0604	B200-0604	P-06	PP-T-06	PP-B-06	-	SC-04	SC-V-04	RC-	-06	RC-V-	06
B100-0606	B200-0606	P-06	PP-T-06	PP-B-06	-	SC-06	SC-V-06	RC-	-06	RC-V-	06
B100-0806	B200-0806	P-08	PP-T-08	PP-B-08	-	SC-06	SC-V-06	RC-	-08	RC-V-	08
B100-0808	B200-0808	P-08	PP-T-08	PP-B-08	-	SC-08	SC-V-08	RC-	-08	RC-V-	08
B100-1204	B200-1204	-		-	P2-12	SC-04	SC-V-04	RC-06	2 pc(s).	RC-V-06	2 pc(s).
B100-1206	B200-1206	-		-	P2-12	SC-06	SC-V-06	RC-06	2 pc(s).	RC-V-06	2 pc(s).
B100-1208	B200-1208	-		-	P2-12	SC-08	SC-V-08	RC-06	2 pc(s).	RC-V-06	2 pc(s).
Material:	Material:										
– Base corner: Stee	•	– Mounting plate:	Aluminium	zinc coate	d steel, 2.0mm.	– Side cover: Electro	-galvanized steel,	– Rear cov	ver: Electr	o-galvanize	d steel,


- Base corner: Steel sheet, 3.0mm.
- Electro-galvanized steel, 2.0mm.
- Base width and depth:
- **Finished surface:**
- Base corner: Polyester powder coated in RAL7035
- Corner base cover: Polyester powder coated in RAL7035
- **Supply includes:**
- 4 pc(s) of base corner
- 2 pc(s) of base width - 2 pc(s) of base depth
- -8 pc(s) of corner cover
- Assembly parts
  - 100 mm








- Mounting plate: Aluminium zinc coated steel, 2.0mm.
- Mounting plate: Aluminium zinc coated steel
- 1 pc(s) of partition plate-A (for partial door) - 1 pc(s) of partition plate-B (for partial door)
- Assembly parts



Assembly parts

in RAL7035

1.5mm.




– Side cover: Polyester powder coated


Assembly parts

1.5mm.


in RAL7035





– Rear cover: Polyester powder coated



Cover plate








Тор (	Cover	Single	Single Door		Partial Door		e Door
Full size	for connector cut-outs	Full door for frame type 1	Door with glass for frame type 1	Top door for frame type 2	Bottom door for frame type 2	Left door for frame type 3	Right door for frame type 3
Mode	el No.	Mode	el No.	Mode	Model No.		el No.
TC-0604	TC-C-0604	D-06	DG-06	PD-T-06	PD-B-06	-	-
TC-0606	TC-C-0606	D-06	DG-06	PD-T-06	PD-B-06	-	-
TC-0806	TC-C-0806	D-08	DG-08	PD-T-08	PD-B-08	-	-
TC-0808	TC-C-0808	D-08	DG-08	PD-T-08	PD-B-08	-	-
TC-1204	TC-C-1204	-	-	-	-	ME-D-L-1220	ME-D-R-1220
TC-1206	TC-C-1206	-	-	-	-	ME-D-L-1220	ME-D-R-1220
TC-1208	TC-C-1208	-	-	-	-	ME-D-L-1220	ME-D-R-1220
				·			


- Top cover: Electro-galvanized steel, – Door: Electro-galvanized steel, 2.0mm. Partial door (top): Electro-galvanized steel, Door (left): Electro-galvanized steel, 2.0mm. 1.5mm. – Viewing window: Glass, 5.0mm. 2.0mm. Door (right): Electro-galvanized steel, - Partial door (bottom): Electro-galvanized 2.0mm. steel, 2.0mm. – Top cover: Polyester powder coated - Door: Polyester powder coated in RAL7035 - Partial door (top): Polyester powder coated Door (left): Polyester powder coated in in RAL7035 in RAL7035 RAL7035 Partial door (bottom): Polyester powder coated in RAL7035 Door (right): Polyester powder coated in RAL7035
- Cover plate ( for cut-outs ) - 4 pc(s) of 110° hinges - 5 pc(s) of 110° hinges – Assembly parts - 1 pc(s) of silver rod control lock Assembly parts Full size **Cut-outs** Full door Door with glass
  - 3 pc(s) of black square cylinder lock – Assembly parts Top door Bottom door
- 8 pc(s) of 110° hinges
- 1 pc(s) of silver rod control lock with handle Assembly parts Left doo Right door







#### **Connector accessories set**



Mounting plate infill
For a continuous mounting surface between connecting enclosure.


#### Material

• Aluminium zinc coated steel, 2.0mm.

#### **Supply includes**

Assembly screws

For enclosure frame: Height (mm.)	Pack of	Model No.	Unit Price (Baht)
2000	1 pc (s).	MF-01	1,250.00



#### **Bracket for connecting enclosure**

For all-round installation on the baying joint flexible position to avoid collisions with installed equipment.

#### Material

• Steel sheet, 3.0mm.

#### Finished surface

• Polyester powder coated in RAL7035

#### Supply includes


Assembly screws

Description	Pack of	Model No.	Unit Price (Baht)
Flat Bracket	6 pc (s).	FB-01	405.00
Angle Bracket	4 pc (s).	AB-01	305.00

#### Note:

• 1 pack is sufficient for one baying joint





#### **Bracket for Mounting Plate infill**

A bracket for mounting plate infill between connecting enclosure.


#### Material

• Aluminium zinc coated steel, 2.0mm.


#### Supply includes

Assembly screws

Pack of	Model No.	Unit Price (Baht)
3 pc (s).	B-05	155.00



## Add-on roof for outdoor uses.



# Add-on accessories as per customer's requirement.

- Lifting angle / Eye bolt
- Mounting plate
- Depth support profiles
- Width support profiles
- Document pocket
- Bracket
- Door profile
- Support profile
- Door stopper
- Lighting system



#### **Depth support profiles**

For variable, individual interior installation of the enclosure frame at depth section.

#### Material


• Aluminium zinc coated steel, 2.0mm.

#### Supply includes

Assembly screws

For enclosure frame: Depth (mm.)	Pack of	Model No.	Unit Price (Baht)
400	2 pc (s).	DCP-04	400.00
600	2 pc (s).	DCP-06	610.00
800	2 pc (s).	DCP-08	805.00





#### Width support profiles

For variable, individual interior installation of the enclosure frame at rear section.

#### Material

• Aluminium zinc coated steel, 1.5mm.

#### **Supply includes**

Assembly screws

For enclosure frame: Width (mm.)	Pack of	Model No.	Unit Price (Baht)
600	1 pc (s).	WCP-06	170.00
800	1 pc (s).	WCP-08	230.00





#### Door profile

For component installation or cable support behind the front door.


#### Material

• Aluminium zinc coated steel, 1.5mm.

#### Supply includes

Assembly screws

For door: Width (mm.)	Pack of	Model No.	Unit Price (Baht)	
600	1 pc (s).	DR-06	135.00	
800	1 pc (s).	DR-08	200.00	





#### **Document pocket**

For document holder inside the panel, fastened to the door frame at any height.

#### Material

• Electro-galvanized steel, 1.5mm.

#### Finished surface

Polyester powder coated in RAL7035

#### Supply includes

• Assembly screws

For door Width (mm.)	Pack of	Model No.	Unit Price (Baht)
600	1 pc (s).	DP-06	1,100.00
800	1 pc (s).	DP-08	1,400.00

Pack of

1 pc (s).

1 pc (s).

Description


Panel light LED type 220V-50Hz 3.4W

Door switch for light control, 220V-lth=10A


Model No.

LED-T3

DSW-01







**Unit Price** 

(Baht)

500.00

1,450.00



#### **LED** system

Panel lighting system


#### Supply includes


- Assembly screws
- Assembly screw
   Bracket light
- Bracket switch light

Equipment
Equipment

- Panel light (Phillips BN058C): LED type quick and easy installation to enclosure frame lightweight color temp 3000K 90 lumen, can be connected in series for increasing light lumen, lifetime 15,000 Hr.
- **Door operated switch (Omron D4MC5000):** For panel light control or signal to other system when door opens.









For busbar installation


#### Material

• Aluminium zinc coated steel, 2.0mm.

#### Supply includes

• Assembly screws

Pack of	Model No.	Unit Price (Baht)
2 pc (s).	BM-275	200.00
2 pc (s).	BM-375	265.00





#### **Ground bar bracket**

For grounding bar installation

#### Material

• Aluminium zinc coated steel, 2.0mm.

#### **Supply includes**

Assembly screws

Pack of	Model No.	Unit Price (Baht)
2 pc (s).	GB-01	210.00



#### **Door stopper**

For door stop, latching mechanical

#### Material

• Galvanized steel

Supply includes
• Assembly screws

Pack of	Model No.	Unit Price (Baht)
1 pc (s).	DS-01	600.00



#### Lifting angle

For transporting by crane, or in the case of bayed enclosure suites, combined with the combination angle.

#### Material

• Angle iron, 5mm.

#### Finished surface

• Angle iron: Polyester powder coated in RAL7035

#### **Supply includes**

Assembly screws

For enclosure frame: Width (mm.)	Pack of	Model No.	Unit Price (Baht)
600	2 pc (s).	LA-06	1,000.00
800	2 pc (s).	LA-08	1,350.00
1200	2 pc (s).	LA-12	2,000.00



#### **Eye bolts**

For transporting by crane

Thread: M12

#### **Supply includes**

• 4 pc(s) of Eye bolts

Material	Pack of	Model No.	Unit Price (Baht)
Steel (Yellow zinc coated)	4 pc (s).	EB-M12-YZ	310.00
Stainless steel (SS304)	4 pc (s).	EB-M12-STL	1,700.00



#### Roof

For outdoor application.

#### Material

• Steel sheet, 1.5mm.

#### Finished surface

• Polyester powder coated in RAL7035

#### Supply includes

- 4 pc(s). Boot for support roof

For enclosure frame: Width x Depth (mm.)	Pack of	Model No.	Unit Price (Baht)
600 x 400	1 set	R-0604	3,800.00
600 x 600	1 set	R-0606	4,300.00
800 x 600	1 set	R-0806	4,900.00
800 x 800	1 set	R-0808	5,550.00
1200 x 400	1 set	R-1204	5,350.00
1200 x 600	1 set	R-1206	6,100.00
1200 x 800	1 set	R-1208	6,950.00



ประเภทอุปกรณ์เสริม Accessories Type	รายละเอียดสินค้า Product Description	ราคาต่อหน่วย Unit Price
	กุญแจเหลี่ยม TAMCO (TAMCO Square Cylinder Lock) Model: TAMLSQ-001 Material and finish: zinc alloy chromed handle and housing, steel cam Application: cam quarter-turn to open or close, with function of locking IP Rating: IP55	110.00 Baht
O	กุญแจเหลี่ยมสีดำ (Black Square Cylinder Lock)  Model: TAMLSQ-004 Material and finish: black powder coated ZDC housing and insert, white zinc plated steel cam Application: cam quarter-turn to open or close, with function of locking (Double Bit Lock) IP Rating: IP54	300.00 Baht
	กุญแจกลมบิดสีดำ (Black Round Cylinder Lock) Model: TAMLRD-002 Material and finish: black coated zinc alloy housing, and white zinc plated steel cam Application: cam quarter-turn for opening or closing IP Rating: IP65	250.00 Baht
	កុល្លូ៤១ពតអ (Silver Round Cylinder Lock) Model: TAMLRD-003 Material and finish: zinc alloy chromed, steel cam Application: cam quarter-turn for opening or closing IP Rating: IP65	110.00 Baht
	កុល្លូแจกลมสีดำ (Black Round Cylinder Lock) Model: TAMLRD-004 Material and finish: black coated zinc alloy housing and white zinc plated steel cam Application: cam quarter-turn for opening or closing IP Rating: IP54	150.00 Baht
	กุญแจคอนโทรลสีเงิน ขนาดเล็ก (Small-Sized Silver Control Lock) Model: TAMLSW-006 Material and finish: silver coated with zinc alloy housing Application: handle quarter-turn to open or close IP Rating: IP40	250.00 Baht



ประเภทอุปกรณ์เสริม Accessories Type	รายละเอียดสินค้า Product Description	ราคาต่อหน่วย Unit Price
	กุญแจคอนโทรลสีดำ ขนาดเล็ก (Small-Sized Black Control Lock) Model: TAMLSW-007 Material and finish: black coated with zinc alloy housing Application: handle quarter-turn to open or close IP Rating: IP40	250.00 Baht
	กุญแจคอนโทรลสีดำ (Black Control Lock) Model: TAMLSW-035 Material and finish: zinc die housing, Black powder coated Application: handle quarter-turn combines with rod latch system to open or close IP Rating: IP65	1,200.00 Baht
	กุญแจคอนโทรลสีเงิน ขนาดใหญ่ (Big-Sized Silver Control Lock) Model: TAMLSW-022 Material and finish: silver coated with zinc alloy housing Application: handle quarter-turn to open or close IP Rating: IP40	700.00 Baht
	กุญแจคอนโทรลสีเหลืองเทา (Yellow-Gray Rod Control Lock) Model: TAMLSW-026 Material and finish: yellow gray powder coated ZDC housing, black powder coated ZDC handle and button, white zinc plated steel cam and rod latch Application: handle quarter-turn combines with rod latch system to open or close IP Rating: IP40	2,000.00 Baht
	กุญแจคอนโทรลสีเงิน (Silver Rod Control Lock) Model: TAMLSW-054 Material and finish: zinc alloy chromed housing Application: 90° rotation of the back drive the gear box to lock and unlock IP Rating: IP55	3,000.00 Baht
	กุญแจเขาควายกันน้ำ (Waterproof Handle Lock) Model: TAMLSW-008 Material and finish: zinc alloy chromed housing Application: handle quarter-turn to open or close IP Rating: IP65	300.00 Baht



ประเภทอุปกรณ์เสริม Accessories Type	รายละเอียดสินค้า Product Description	ราคาต่อหน่วย Unit Price
	กุญแจเขาควายกันน้ำ (Waterproof Handle Lock) Model: TAMLSW-019 Material and finish: zinc alloy chromed handle and housing, steel cam IP Rating: IP65 Brand: TAKIGEN	2,000.00 Baht
	กุญแจเขาควาย (Handle Lock)  Model: TAMLSW-027  Material and finish: zinc alloy chromed handle and housing, steel cam Application: handle 90° rotation for opening or closing IP Rating: IP54	300.00 Baht
	กุญแจคอนโทรลสแตนเลส 316 (Stainless Steel 316 Rod Control Lock) Model: TAMLSW-003 Material and finish: SUS no. 316, brush IP Rating: IP65	2,500.00 Baht
	บานพับ MDB (Hinge for MDB) Model: TAMAHI-001 Material and finish: zinc alloy hinge, galvanized steel pin Application: opening angle 110°	250.00 Baht
	มือจับชุบโครเมียม (Chromed Steel Handle) Model: TAMAHN-001 Material and finish: chromed steel	200.00 Baht
	มือจับพลาสติกสีดำ (Black Plastic Handle) Model: TAMAHN-002 Material and finish: black plastic	150.00 Baht



ประเภทอุปกรณ์เสริม Accessories Type	รายละเอียดสินค้า Product Description	ราคาต่อหน่วย Unit Price
	ลูกกุญแจสั้น (Short Key) Model: TAMAKEY-001 Material and finish: zinc alloy, chromed	30.00 Baht
	ลูกกุญแจยาว (Long Key) Model: TAMAKEY-002 Material and finish: zinc alloy	50.00 Baht
	สีสเปรย์สำหรับงานซ่อมงานสีตู้ (Spray Color) Model: TAMCO #8133 (RAL7032) Color : cream	250.00 Baht
	สีสเปรย์สำหรับงานซ่อมงานสีตู้ (Spray Color) Model: TAMCO #9015 (RAL7035) Color: light gray	280.00 Baht
	Model: VF-130 (Fan + Filter Mask set)  Air Volume: 25 CFM.  Noise Level: 47-53 dB (A)  Fan Voltage: 220V. AC 50 Hz.  Power/Current: 16 Watt/0.13 Amp.  Dimension: 130 x 130 mm.  * Additional filter will cost 400.00 Baht	1,080.00 Baht
	Model: VF-255 (Fan + Filter Mask set)  Air Volume: 120 CFM.  Noise Level: 58 dB (A) Fan Voltage: 220V. AC 50 Hz.  Power/Current: 4.0 Watt/0.3 Amp.  Dimension: 250 x 250 mm.  * Additional filter will cost 800.00 Baht	1,980.00 Baht







Product Group		CE Series	ME Series
Product Name		Compact Enclosure	Modular Free-standing Enclosure
Product Descriptions		Small to large compact enclosure that comes with 14 different sizes. Suitable for both indoor and outdoor uses.	Knock-down enclosure with flexible solutions. Available in 7 sizes. Suitable for both indoor and outdoor uses.
Material	Steel (EG)	•	•
	Stainless Steel	•	
	Steel (Hot-rolled)		
	Steel (Cold-rolled)		
Coating	Hot-dip galvanized		
	Polyester powder paint	•	•
IP rating	IP40	•	•
	IP55	•	•
	IP65	•	
Made-to-order options  Customized in sizes, materials, cut-outs, color		Available	Available

## **Other Products**



<b>65</b> 561165	Training system			
Control Desk	Wire way	Cable Ladder	Cable Tray	
This series is designed for controlling machinery system, electronics and communication devices.	Suitable for indoor electrical system installation. Coated with polyester powder paint	Suitable for both indoor and outdoor electrical system installation. Coated with polyester powder paint or hot-dip galvanized.	Suitable for indoor electrical installation that needs special strength which can carry up to 600Kg. Coated with polyester powder paint or hot-dip galvanized.	
•				
•	•	•	•	
		•	•	
	•			
		•	•	
•	•	•	•	
•				
Available	Available	Available	Available	

Distributed by: